

Safety Data Sheet

Limus for UAN Nitrogen Management

Revision date : 2018/01/29
Version: 4.0

Page: 1/13
(30648092/SDS_GEN_US/EN)

1. Identification

Product identifier used on the label

Limus for UAN Nitrogen Management

Recommended use of the chemical and restriction on use

Recommended use*: Chemical

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY

Contact address:
BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932
USA
Telephone: +1 973 245-6000

Emergency telephone number

CHEMTREC: 1-800-424-9300
BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

| | | |
|-----------------|-----------------------|--|
| Flam. Liq. | 4 | Flammable liquids |
| Acute Tox. | 4 (oral) | Acute toxicity |
| Acute Tox. | 4 (Inhalation - mist) | Acute toxicity |
| Eye Dam./Irrit. | 1 | Serious eye damage/eye irritation |
| Skin Sens. | 1 | Skin sensitization |
| Repr. | 2 (fertility) | Reproductive toxicity |
| Aquatic Acute | 3 | Hazardous to the aquatic environment - acute |
| Aquatic Chronic | 3 | Hazardous to the aquatic environment - chronic |

Safety Data Sheet

Limus for UAN Nitrogen Management

Revision date : 2018/01/29
Version: 4.0

Page: 2/13
(30648092/SDS_GEN_US/EN)

Label elements

Pictogram:



Signal Word:
Danger

Hazard Statement:

| | |
|------|--|
| H227 | Combustible liquid. |
| H318 | Causes serious eye damage. |
| H332 | Harmful if inhaled. |
| H302 | Harmful if swallowed. |
| H317 | May cause an allergic skin reaction. |
| H361 | Suspected of damaging fertility. |
| H402 | Harmful to aquatic life. |
| H412 | Harmful to aquatic life with long lasting effects. |

Precautionary Statements (Prevention):

| | |
|------|--|
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P260 | Do not breathe mist or vapour. |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P273 | Avoid release to the environment. |
| P201 | Obtain special instructions before use. |
| P202 | Do not handle until all safety precautions have been read and understood. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P270 | Do not eat, drink or smoke when using this product. |
| P264 | Wash with plenty of water and soap thoroughly after handling. |

Precautionary Statements (Response):

| | |
|--------------------|--|
| P310 | Immediately call a POISON CENTER or doctor/physician. |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P304 + P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| P303 + P352 | IF ON SKIN (or hair): Wash with plenty of soap and water. |
| P330 | Rinse mouth. |
| P362 + P364 | Take off contaminated clothing and wash it before reuse. |
| P370 + P378 | In case of fire: Use water spray, dry powder, foam or carbon dioxide for extinction. |

Precautionary Statements (Storage):

| | |
|-------------|--|
| P405 | Store locked up. |
| P403 + P235 | Store in a well-ventilated place. Keep cool. |

Precautionary Statements (Disposal):

| | |
|------|---|
| P501 | Dispose of contents/container to hazardous or special waste collection point. |
|------|---|

Hazards not otherwise classified

Safety Data Sheet

Limus for UAN Nitrogen Management

Revision date : 2018/01/29

Version: 4.0

Page: 3/13

(30648092/SDS_GEN_US/EN)

Contains Phosphorothioic triamide, N-butyl- The repeated administration of high dose levels is suspected to cause reduction of Cholinesterase activity.

Labeling of special preparations (GHS):

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 39 % dermal

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 39 % oral

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 46 - 48 % Inhalation - vapour

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 46 - 48 % Inhalation - mist

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

| <u>CAS Number</u> | <u>Weight %</u> | <u>Chemical name</u> |
|-------------------|-----------------|---|
| 94317-64-3 | 18.8 % | N-butylphosphorothioic triamide (NBPT) |
| 916809-14-8 | 8.1 % | N-propylphosphorothioic triamide (NPPT) |
| 100-51-6 | 25.0 - 50.0% | Benzyl alcohol |
| | 10.0 - 20.0% | ETHYLENEDIAMINE-ETHYLENIMINE COPOLYMER |

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

If on skin:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

If in eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

Hazards: Risk of decrease in cholinesterase activity. If poisoning is probable, treat the patient immediately. Treatment should be given simultaneously with decontamination procedures in severe cases. Proceed concurrently with decontamination using proper protective gear; for example, chemical resistant gloves (neoprene or nitrile) rather than cotton or leather gloves.

Indication of any immediate medical attention and special treatment needed

Safety Data Sheet

Limus for UAN Nitrogen Management

Revision date : 2018/01/29

Version: 4.0

Page: 4/13

(30648092/SDS_GEN_US/EN)

Note to physician

Antidote:

Administer atropine. Pralidoxime chloride (2-PAM) is antidotal when administered early, and in conjunction with antidote.

Treatment:

Give atropine intravenously (IV), or if not immediately possible IV, through an alternative route such as an endotracheal tube or intramuscularly (IM). Give atropine intramuscularly or intravenously, depending on severity of poisoning. Atropine may be administered through an alternative route such as an endotracheal tube. Avoid opiates, parasympathomimetic agents (e.g. succinylcholine), theophylline, reserpine and or phenothiazines. The dosage for atropine is as follows: 1 to 2 mg/kg initially IV in adults (or 0.05 mg/kg in children under 12 years) then give appropriate doses every 15 minutes until excessive secretions and sweating have been controlled. Clear airway and provide oxygen before administering atropine. Tissue oxygenation should be improved as much as possible before administering atropine, so as to minimize the risk of arrhythmia. Pralidoxime chloride (2-PAM, PROTOPAM chloride) may be effective as an adjunct to atropine. Use according to label directions. Before administering pralidoxime chloride, obtain a blood sample for cholinesterase analysis. Adjusting for age and weight, pralidoxime may be administered as a continuous infusion after a loading dose or using a bolus method. Use soap (preferably Tincture Green Soap) and water or dilute hypochlorite solution for decontaminating skin. Suction oral secretions and emesis to avoid aspiration. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for at least 72 hours. Allow no further exposure to any cholinesterase inhibitor until cholinesterase regeneration has taken place as determined by blood tests.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

water spray, dry powder, foam, carbon dioxide

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, nitrogen oxides

The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Safety Data Sheet

Limus for UAN Nitrogen Management

Revision date : 2018/01/29

Version: 4.0

Page: 5/13

(30648092/SDS_GEN_US/EN)

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 24 Months

Protect from temperatures below: -5 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure Controls/Personal Protection

No occupational exposure limits known.

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Safety Data Sheet

Limus for UAN Nitrogen Management

Revision date : 2018/01/29
Version: 4.0

Page: 6/13
(30648092/SDS_GEN_US/EN)

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

| | | |
|--|--|--------------------------------|
| Form: | liquid | |
| Odour: | moderate odour, ammonia-like | |
| Odour threshold: | Not determined since harmful by inhalation. | |
| Colour: | colourless | |
| pH value: | approx. 9 - 11 (approx. 20 °C) | |
| Melting temperature: | < -10 °C | |
| boiling temperature: | approx. 182 °C | |
| Flash point: | approx. 71 °C | |
| Flammability: | not applicable | |
| Lower explosion limit: | As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. | |
| Upper explosion limit: | As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. | |
| Autoignition: | approx. 335 °C | (Regulation 440/2008/EC, A.15) |
| Vapour pressure: | approx. 0.2 hPa (approx. 20 °C) Information applies to the solvent. | |
| Density: | approx. 1.09 g/cm ³ (approx. 20 °C) | |
| Vapour density: | not applicable | |
| <i>Information on: N-propylphosphorothioic triamide (NPPT)</i> | | |
| Partitioning coefficient n-octanol/water (log Pow): | < 0.3 (24 °C) | (OECD Guideline 117) |
| ----- | | |
| Thermal decomposition: | No decomposition if stored and handled as prescribed/indicated. | |
| Viscosity, dynamic: | approx. 139 mPa.s (approx. 20 °C) | |
| Solubility in water: | mainly soluble | |

Safety Data Sheet

Limus for UAN Nitrogen Management

Revision date : 2018/01/29
Version: 4.0

Page: 7/13
(30648092/SDS_GEN_US/EN)

Evaporation rate: not applicable
Other Information: If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

not fire-propagating (Regulation 440/2008/EC, A.21)

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See MSDS section 7 - Handling and storage.

Incompatible materials

strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. Of moderate toxicity after single ingestion. Of moderate toxicity after short-term inhalation. Virtually nontoxic after a single skin contact.

Oral

Type of value: ATE

Value: 3,590 mg/kg

Information on: N-propylphosphorothioic triamide (NPPT)

Type of value: LD50

Species: rat (female)

Value: >300 < 2000 mg/kg (OECD Guideline 423)

Safety Data Sheet

Limus for UAN Nitrogen Management

Revision date : 2018/01/29
Version: 4.0

Page: 8/13
(30648092/SDS_GEN_US/EN)

*Analogous: Assessment derived from products with similar chemical character.
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.*

*Information on: Benzyl alcohol
Type of value: LD50
Species: rat (male)
Value: 1,610 mg/kg (Directive 84/449/EEC, B. 1)*

*Information on: ETHYLENEDIAMINE-ETHYLENIMINE COPOLYMER
Type of value: LD50
Species: rat
Value: 500 - 2,000 mg/kg*

Inhalation

Type of value: ATE
Value: > 20.0000 mg/l
Determined for vapor

Type of value: ATE
Value: 2.890000 mg/l
Determined for mist

*Information on: Benzyl alcohol
Type of value: LC50
Species: rat
Value: > 4.1 mg/l (OECD Guideline 403)
Exposure time: 4 h
An aerosol was tested.
No mortality was observed.*

Dermal

Type of value: ATE
Value: 4,460 mg/kg

*Information on: N-propylphosphorothioic triamide (NPPT)
Type of value: LD50
Species: rat (male/female)
Value: > 2,000 mg/kg (OECD Guideline 402)
Analogous: Assessment derived from products with similar chemical character.
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.*

*Information on: N-butylphosphorothioic triamide (NBPT)
Type of value: LD50
Species: rabbit (male/female)
Value: > 2,000 mg/kg (OECD Guideline 402)*

*Information on: benzyl alcohol
Type of value: LD50
Species: rabbit
Value: 2,000 mg/kg*

Assessment other acute effects

Assessment of STOT single:

Safety Data Sheet

Limus for UAN Nitrogen Management

Revision date : 2018/01/29
Version: 4.0

Page: 9/13
(30648092/SDS_GEN_US/EN)

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: The product has not been tested. The statement has been derived from the properties of the individual components. Not irritating to the skin. May cause severe damage to the eyes.

Information on: N-butylphosphorothioic triamide (NBPT)

Assessment of irritating effects: Not irritating to the skin. May cause severe damage to the eyes.

Skin

Information on: N-propylphosphorothioic triamide (NPPT)

Species: rabbit

Result: non-irritant

Method: OECD Guideline 404

Analogous: Assessment derived from products with similar chemical character.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Eye

Information on: N-propylphosphorothioic triamide (NPPT)

Species: rabbit

Result: Irritant.

Method: OECD Guideline 405

Analogous: Assessment derived from products with similar chemical character.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Information on: ETHYLENEDIAMINE-ETHYLENIMINE COPOLYMER

Species: rabbit

Result: Risk of serious damage to eyes.

Sensitization

Assessment of sensitization: The product has not been tested. The statement has been derived from the properties of the individual components. Sensitization after skin contact possible.

Information on: N-propylphosphorothioic triamide (NPPT)

Mouse Local Lymph Node Assay (LLNA)

Species: mouse

Result: sensitizing

Method: OECD Guideline 429

Analogous: Assessment derived from products with similar chemical character.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Information on: ETHYLENEDIAMINE-ETHYLENIMINE COPOLYMER

Mouse Local Lymph Node Assay (LLNA)

Species: mouse

Result: sensitizing

Safety Data Sheet

Limus for UAN Nitrogen Management

Revision date : 2018/01/29

Version: 4.0

Page: 10/13

(30648092/SDS_GEN_US/EN)

Method: OECD Guideline 429

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: N-butylphosphorothioic triamide (NBPT)

Assessment of repeated dose toxicity: The repeated administration of high dose levels is suspected to cause reduction of Cholinesterase activity. The substance may cause damage to the liver after repeated ingestion of high doses, as shown in animal studies. The substance may cause damage to the kidney after repeated ingestion of high doses, as shown in animal studies.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: N-butylphosphorothioic triamide (NBPT)

Assessment of reproduction toxicity: The results of animal studies suggest a fertility impairing effect.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Other Information

Misuse can be harmful to health.

The substance causes a decrease in cholinesterase activity.

Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Harmful to aquatic life with long lasting effects.

Safety Data Sheet

Limus for UAN Nitrogen Management

Revision date : 2018/01/29

Version: 4.0

Page: 11/13

(30648092/SDS_GEN_US/EN)

The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish

Information on: N-propylphosphorothioic triamide (NPPT)
LC50 (96 h) > 120 mg/l, Brachydanio rerio (OECD Guideline 203, static)
Nominal concentration.
Analogous: Assessment derived from products with similar chemical character.

Information on: ETHYLENEDIAMINE-ETHYLENIMINE COPOLYMER
LC50 (96 h) 10 - 100 mg/l, Leuciscus idus

Aquatic invertebrates

Information on: N-propylphosphorothioic triamide (NPPT)
EC50 (48 h) 19 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)
Nominal concentration.
Analogous: Assessment derived from products with similar chemical character.

Aquatic plants

Information on: N-propylphosphorothioic triamide (NPPT)
No observed effect concentration (72 h) >= 120 mg/l (growth rate), Desmodosmus subspicatus
(OECD Guideline 201, static)
Nominal concentration.
Analogous: Assessment derived from products with similar chemical character.

Persistence and degradability

Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment biodegradation and elimination (H2O)

Information on: N-propylphosphorothioic triamide (NPPT)

Not readily biodegradable (by OECD criteria).

Elimination information

Information on: ETHYLENEDIAMINE-ETHYLENIMINE COPOLYMER
Poorly biodegradable.
Well eliminable from water by adsorption on activated sludge.

Bioaccumulative potential

Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

Mobility in soil

Safety Data Sheet

Limus for UAN Nitrogen Management

Revision date : 2018/01/29
Version: 4.0

Page: 12/13
(30648092/SDS_GEN_US/EN)

Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: N-propylphosphorothioic triamide (NPPT)

Adsorption to solid soil phase is not expected.

Information on: ETHYLENEDIAMINE-ETHYLENIMINE COPOLYMER

The substance will not evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is possible.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Must be disposed of or incinerated in accordance with local regulations.

Container disposal:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport

USDOT

Classified as combustible liquid in containers greater than 119 gallons.

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Registration status:

Fertilizer TSCA, US released; restriction on use / listed
TSCA § 5 commenced PMN

Safety Data Sheet

Limus for UAN Nitrogen Management

Revision date : 2018/01/29
Version: 4.0

Page: 13/13
(30648092/SDS_GEN_US/EN)

This product contains a substance subject to a Significant New Use Rule (SNUR) or consent order restriction.
40 CFR 721.10965

Chemical TSCA, US released; restriction on use / listed
TSCA § 5 commenced PMN

This product contains a substance subject to a Significant New Use Rule (SNUR) or consent order restriction.
40 CFR 721.10965

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

| <u>CERCLA RQ</u> | <u>CAS Number</u> | <u>Chemical name</u> |
|------------------|-------------------|----------------------|
| 1000 LBS | 75-09-2 | dichloromethane |

State regulations

| <u>State RTK</u> | <u>CAS Number</u> | <u>Chemical name</u> |
|------------------|-------------------|----------------------|
| PA | 100-51-6 | Benzyl alcohol |
| | 75-09-2 | dichloromethane |

Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

WARNING: This product can expose you to chemicals including ETHYLENEIMINE, which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov.

[Other Prop 65 components may be present in the product.]

16. Other Information

SDS Prepared by:
BASF NA Product Regulations
SDS Prepared on: 2018/01/29

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

END OF DATA SHEET