

1/12

### PROSARO® 421 SC FUNGICIDE

Version 4.0 / USA Revision Date: 02/09/2017 102000014618 Print Date: 02/10/2017

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Trade name PROSARO® 421 SC FUNGICIDE

Product code (UVP) 06011496

**SDS Number** 102000014618

**EPA Registration No.** 264-862

Relevant identified uses of the substance or mixture and uses advised against

**Use** Fungicide

**Restrictions on use**See product label for restrictions.

Information on supplier

**Supplier** Bayer CropScience

2 T.W. Alexander Drive

Research Triangle PK, NC 27709

**United States** 

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days)

1-800-334-7577

Product Information Telephone Number

1-866-99BAYER (1-866-992-2937)

#### **SECTION 2: HAZARDS IDENTIFICATION**

Classification in accordance with regulation HCS 29CFR §1910.1200

Reproductive toxicity: Category 2 Acute toxicity(Inhalation): Category 4

Labelling in accordance with regulation HCS 29CFR §1910.1200





Signal word: Warning

**Hazard statements** 

Suspected of damaging fertility or the unborn child.

Harmful if inhaled.

**Precautionary statements** 

Obtain special instructions before use.



# **PROSARO® 421 SC FUNGICIDE**

 Version 4.0 / USA
 Revision Date: 02/09/2017

 102000014618
 Print Date: 02/10/2017

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/ protective clothing/ eye protection/ face protection.

Avoid breathing mist/ vapours.

Use only outdoors or in a well-ventilated area.

IF exposed or concerned: Get medical advice/ attention.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

Store locked up.

Dispose of contents/container in accordance with local regulation.

### **Hazards Not Otherwise Classified (HNOC)**

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Hazardous Component NameCAS-No.Concentration % by weightProthioconazole178928-70-619.0Tebuconazole107534-96-319.0

#### **SECTION 4: FIRST AID MEASURES**

#### Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

**Inhalation** Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

**Eye contact** Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. DO NOT induce

vomiting unless directed to do so by a physician or poison control center. Rinse out mouth and give water in small sips to drink. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

**Symptoms** To date no symptoms are known.



### PROSARO® 421 SC FUNGICIDE

Version 4.0 / USA Revision Date: 02/09/2017 102000014618 Print Date: 02/10/2017

#### Indication of any immediate medical attention and special treatment needed

**Treatment** Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended. There is no specific antidote.

#### **SECTION 5: FIREFIGHTING MEASURES**

**Extinguishing media** 

Suitable Water, Foam, Carbon dioxide (CO2), Dry chemical

**Unsuitable** None known.

Special hazards arising from the substance or

mixture

In the event of fire the following may be released:, Hydrogen chloride (HCI), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO),

Sulphur oxides, Nitrogen oxides (NOx)

Advice for firefighters

Special protective equipment for firefighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Flash point > 100 °C

Not relevant; aqueous solution

Auto-ignition temperatureNo data availableLower explosion limitNo data availableUpper explosion limitNo data availableExplosivityNot applicable

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures

**Precautions** Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

Additional advice Use personal protective equipment. If material is accidentally spilled,

do not allow to enter soil, waterways or waste water canal.



### PROSARO® 421 SC FUNGICIDE

Version 4.0 / USA Revision Date: 02/09/2017 102000014618 Print Date: 02/10/2017

**Reference to other sections** Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

#### **SECTION 7: HANDLING AND STORAGE**

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Use only

in area provided with appropriate exhaust ventilation.

**Hygiene measures** Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after

handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before

using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and

feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing.

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Prothioconazole	178928-70-6	50ug/m3 (ST ESL)	07 2011	TX ESL
Prothioconazole	178928-70-6	5ug/m3 (AN ESL)	07 2011	TX ESL
Prothioconazole	178928-70-6	1.4 mg/m3 (SK-ABS)		OES BCS*
Tebuconazole	107534-96-3	5ug/m3 (AN ESL)	07 2011	TX ESL
Tebuconazole	107534-96-3	50ug/m3 (ST ESL)	07 2011	TX ESL
Tebuconazole	107534-96-3	0.2 mg/m3 (SK-ABS)		OES BCS*
Glycerine	56-81-5	5 mg/m3 (PEL)	02 2006	OSHA Z1
(Respirable fraction.)				
Glycerine	56-81-5	15 mg/m3 (PEL)	02 2006	OSHA Z1
(Total dust.)				



### PROSARO® 421 SC FUNGICIDE

Version 4.0 / USA Revision Date: 02/09/2017 102000014618 Print Date: 02/10/2017

Glycerine	56-81-5	10 mg/m3 (TWA)	06 2008	TN OEL
(Total dust and mist.)				
Glycerine	56-81-5	5 mg/m3 (TWA)	06 2008	TN OEL
(Respirable fraction and		, ,		
dust or fume.)				
Glycerine	56-81-5	1000ug/m3 (ST ESL)	03 2014	TX ESL
Glycerine	56-81-5	50ug/m3 (ST ESL)	03 2014	TX ESL
Glycerine	56-81-5	100ug/m3 (AN ESL)	03 2014	TX ESL
Glycerine	56-81-5	5ug/m3 (AN ESL)	03 2014	TX ESL

<sup>\*</sup>OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

#### **Exposure controls**

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection** When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical resistant nitrile rubber gloves

**Eye protection** Safety glasses with side-shields

**Skin and body protection** Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance white to light beige

Physical State suspension

Odor characteristic

Odour Threshold No data available

**pH** 7.5 - 7.9 at 10 % (23 °C) (deionized water)

aqueous suspension

Vapor Pressure No data available
Vapor Density (Air = 1) No data available



### PROSARO® 421 SC FUNGICIDE

Version 4.0 / USA Revision Date: 02/09/2017 102000014618 Print Date: 02/10/2017

Density

1.11 g/cm³ at 20 °C

Evaporation rate

No data available

Boiling Point

No data available

Melting / Freezing Point

No data available

Water solubility soluble

Minimum Ignition Energy Not applicable

Decomposition Not applicable temperature

Partition coefficient: n-

octanol/water

No data available

Viscosity 500 - 1,500 mPa.s at 20 °C

Flash point > 100 °C

Not relevant; aqueous solution

Auto-ignition temperatureNo data availableLower explosion limitNo data availableUpper explosion limitNo data availableExplosivityNot applicable

#### **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

Thermal decomposition Not applicable

**Chemical stability** Stable under normal conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

**Conditions to avoid** Heat, flames and sparks.

Incompatible materials No data available

**Hazardous decomposition** 

products

No decomposition products expected under normal conditions of use.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

**Exposure routes** Ingestion, Inhalation, Eye contact, Skin Absorption

**Immediate Effects** 

**Eye** Moderate eye irritation.



## PROSARO® 421 SC FUNGICIDE

Version 4.0 / USA Revision Date: 02/09/2017 102000014618 Print Date: 02/10/2017

**Skin** May cause slight irritation. Harmful if absorbed through skin.

IngestionHarmful if swallowed.InhalationHarmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 2,000 mg/kg Acute inhalation toxicity LC50 (Rat) > 2.18 mg/l Exposure time: 4 h

Determined in the form of liquid aerosol.

highest concentration tested

No deaths

Acute dermal toxicityLD50 (Rat) > 5,050 mg/kgSkin irritationNo skin irritation (Rabbit)Eye irritationMinimally irritating. (Rabbit)SensitisationNon-sensitizing. (Guinea pig)

#### Assessment STOT Specific target organ toxicity - repeated exposure

Prothioconazole did not cause specific target organ toxicity in experimental animal studies. Tebuconazole did not cause specific target organ toxicity in experimental animal studies.

#### **Assessment mutagenicity**

Prothioconazole was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Tebuconazole was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

#### **Assessment carcinogenicity**

Prothioconazole was not carcinogenic in lifetime feeding studies in rats and mice.

Tebuconazole caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man.

#### **ACGIH**

None.

**NTP** 

None.

**IARC** 

None.

**OSHA** 

None.

#### Assessment toxicity to reproduction

Prothioconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Prothioconazole is related to parental toxicity.

Tebuconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also



# PROSARO® 421 SC FUNGICIDE

Version 4.0 / USA Revision Date: 02/09/2017 102000014618 Print Date: 02/10/2017

toxic to the parent animals. The reproduction toxicity seen with Tebuconazole is related to parental toxicity.

#### Assessment developmental toxicity

Prothioconazole caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Prothioconazole are related to maternal toxicity.

Tebuconazole caused developmental toxicity only at dose levels toxic to the dams. Tebuconazole caused an increased incidence of post implantation losses, an increased incidence of non-specific malformations.

#### **Further information**

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

#### **SECTION 12: ECOLOGICAL INFORMATION**

**Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) 1.83 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient prothioconazole.

LC50 (Oncorhynchus mykiss (rainbow trout)) 4.4 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient tebuconazole.

LC50 (Lepomis macrochirus (Bluegill sunfish)) 5.7 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient tebuconazole.

Toxicity to aquatic invertebrates

LC50 (Daphnia magna (Water flea)) 1.3 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient prothioconazole.

LC50 (Daphnia magna (Water flea)) 4.2 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient tebuconazole.

Toxicity to aquatic plants EC50 (Raphidocelis subcapitata (freshwater green alga)) 2.18 mg/l

Exposure time: 72 h

The value mentioned relates to the active ingredient prothioconazole.

EC50 (Raphidocelis subcapitata (freshwater green alga)) 3.8 mg/l

Exposure time: 72 h

The value mentioned relates to the active ingredient tebuconazole.

**Biodegradability** Prothioconazole:

Not rapidly biodegradable

Tebuconazole:

Not rapidly biodegradable

**Koc** Prothioconazole: Koc: 1765; log Koc: < 3

Tebuconazole: Koc: 769



# **PROSARO® 421 SC FUNGICIDE**

Version 4.0 / USA Revision Date: 02/09/2017 102000014618 Print Date: 02/10/2017

**Bioaccumulation** Prothioconazole: Bioconcentration factor (BCF) 19

Does not bioaccumulate.

Tebuconazole: Bioconcentration factor (BCF) 35 - 59

Does not bioaccumulate.

Mobility in soil Prothioconazole: Slightly mobile in soils

Tebuconazole: Slightly mobile in soils

**Environmental precautions** Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Drift and runoff from treated areas may be hazardous to aquatic

organisms in adjacent sites.

Apply this product as specified on the label.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

**Product** Pesticide, spray mixture or rinse water that cannot be used according to

label instructions may be disposed of on site or at an approved waste

disposal facility.

**Contaminated packaging** Triple rinse containers.

Dispose of empty container in a sanitary landfill or by incineration, or, if

allowed by State/Provincial and local authorities, by burning.

If burned, stay out of smoke.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

#### **SECTION 14: TRANSPORT INFORMATION**

**49CFR** Not dangerous goods / not hazardous material

**IMDG** 

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(TEBUCONAZOLE, PROTHIOCONAZOLE SOLUTION)

**IATA** 

UN number **3082** Class 9



10/12

### PROSARO® 421 SC FUNGICIDE

Version 4.0 / USA Revision Date: 02/09/2017 102000014618 Print Date: 02/10/2017

Packaging group III Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(TEBUCONAZOLE, PROTHIOCONAZOLE SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN

**POISON** 

#### **SECTION 15: REGULATORY INFORMATION**

**EPA Registration No.** 264-862

**US Federal Regulations** 

TSCA list None.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

**US States Regulatory Reporting** 

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

#### **US State Right-To-Know Ingredients**

None.

**Canadian Regulations** 

**Canadian Domestic Substance List** 

None.

**Environmental** 

**CERCLA** 

None.

**Clean Water Section 307 Priority Pollutants** 

None.

**Safe Drinking Water Act Maximum Contaminant Levels**Tebuconazole 107534-96-3

#### **EPA/FIFRA Information:**



### PROSARO® 421 SC FUNGICIDE

Version 4.0 / USA Revision Date: 02/09/2017 102000014618 Revision Date: 02/10/2017

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

**Hazard statements:** Harmful if swallowed, inhaled or absorbed through the skin.

Moderate eye irritation.

Avoid contact with skin, eyes and clothing.

Avoid inhalation of vapour or mist.

Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before re-use.

#### **SECTION 16: OTHER INFORMATION**

#### Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49
ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens
OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

### NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 0 Others - none

#### HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

**Reason for Revision:** The following sections have been revised: Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients. Section 11: Toxicological Information.

Revision Date: 02/09/2017

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are



# **PROSARO® 421 SC FUNGICIDE**

Version 4.0 / USA 102000014618

**12/12**Revision Date: 02/09/2017
Print Date: 02/10/2017

registered trademarks of Bayer.