

# SAFETY DATA SHEET

## MONSANTO Company

**Product name:** TripleFLEX® II Herbicide

**Date:** 05/12/2015  
**Version:** 2.0

MONSANTO Company encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

---

### 1. IDENTIFICATION

---

**Product name:** TripleFLEX® II Herbicide

**Recommended use of the chemical and restrictions on use**

**Identified uses:** End use herbicide product

#### COMPANY IDENTIFICATION

MONSANTO COMPANY, 800 N. Lindbergh Blvd., St. Louis, MO, 63167

Telephone: 800-332-3111, Fax: 314-694-5557

E-mail: [safety.datasheet@monsanto.com](mailto:safety.datasheet@monsanto.com)

#### EMERGENCY NUMBERS

FOR CHEMICAL EMERGENCY, SPILL LEAK, FIRE, EXPOSURE, OR ACCIDENT Call CHEMTREC

- Day or Night: 1-800-424-9300 toll free in the continental U.S., Puerto Rico, Canada, or Virgin Islands.

For calls originating elsewhere: 703-527-3887 (collect calls accepted). FOR MEDICAL EMERGENCY

- Day or Night: +1 (314) 694-4000 (collect calls accepted).

---

### 2. HAZARDS IDENTIFICATION

---

#### Hazard classification

This material is hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

Eye irritation - Category 2A

Skin sensitization - Category 1

Carcinogenicity - Category 2

Specific target organ toxicity - single exposure - Category 3

#### Label elements

##### Hazard pictograms



Signal word: **WARNING!**

**Hazards**

May cause an allergic skin reaction.  
Causes serious eye irritation.  
May cause respiratory irritation.  
Suspected of causing cancer.

**Precautionary statements****Prevention**

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
Wash skin thoroughly after handling.  
Use only outdoors or in a well-ventilated area.  
Contaminated work clothing should not be allowed out of the workplace.  
Wear eye protection/ face protection.  
Wear protective gloves.  
Use personal protective equipment as required.

**Response**

IF ON SKIN: Wash with plenty of soap and water.  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
IF exposed or concerned: Get medical advice/ attention.  
If skin irritation or rash occurs: Get medical advice/ attention.  
If eye irritation persists: Get medical advice/ attention.  
Wash contaminated clothing before reuse.

**Storage**

Store in a well-ventilated place. Keep container tightly closed.  
Store locked up.

**Disposal**

Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

no data available

---

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

---

**Chemical nature:** Mixture

This product is a mixture.

<b>Component</b>	<b>CASRN</b>	<b>Concentration</b>
Acetochlor	34256-82-1	41.67%
Clopyralid monoethanolamine salt	57754-85-5	4.27%
Flumetsulam	98967-40-9	1.3%

---

Furilazole	121776-33-8	0.99%
Propylene glycol	57-55-6	8.7%
Solvent naphtha (petroleum), heavy aromatic	64742-94-5	1.5%
Naphthalene	91-20-3	0.1%
Balance	Not available	41.47%

---

---

#### 4. FIRST AID MEASURES

---

##### Description of first aid measures

**General advice:** First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to Section 8 for specific personal protective equipment.

**Inhalation:** Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.

**Skin contact:** Take off contaminated clothing. Wash skin with soap and plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Wash clothing before reuse. Shoes and other leather items which cannot be decontaminated should be disposed of properly.

**Eye contact:** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice. Suitable emergency eye wash facility should be available in work area.

**Ingestion:** No emergency medical treatment necessary.

**Most important symptoms and effects, both acute and delayed:** Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

##### Indication of any immediate medical attention and special treatment needed

**Notes to physician:** No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

---

#### 5. FIREFIGHTING MEASURES

---

**Suitable extinguishing media:** This material does not burn. If exposed to fire from another source, use suitable extinguishing agent for that fire.

**Unsuitable extinguishing media:** no data available

**Special hazards arising from the substance or mixture**

**Hazardous combustion products:** Under fire conditions some components of this product may decompose. The smoke may contain unidentified toxic and/or irritating compounds. Combustion products may include and are not limited to: Nitrogen oxides. Hydrogen chloride. Carbon monoxide. Carbon dioxide.

**Unusual Fire and Explosion Hazards:** None known.

**Advice for firefighters**

**Fire Fighting Procedures:** Keep people away. Isolate fire and deny unnecessary entry. Consider feasibility of a controlled burn to minimize environment damage. Foam fire extinguishing system is preferred because uncontrolled water can spread possible contamination. This material does not burn. Fight fire for other material that is burning.

**Special protective equipment for firefighters:** Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance.

---

---

**6. ACCIDENTAL RELEASE MEASURES**

---

**Personal precautions, protective equipment and emergency procedures:** Isolate area. Keep unnecessary and unprotected personnel from entering the area. Refer to section 7, Handling, for additional precautionary measures. Keep upwind of spill. Ventilate area of leak or spill. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

**Environmental precautions:** Spills or discharge to natural waterways is likely to kill aquatic organisms. Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

**Methods and materials for containment and cleaning up:** Contain spilled material if possible. Small spills: Absorb with materials such as: Clay. Dirt. Sand. Sweep up. Collect in suitable and properly labeled containers. Large spills: Contact Monsanto for clean-up assistance. See Section 13, Disposal Considerations, for additional information.

---

---

**7. HANDLING AND STORAGE**

---

**Precautions for safe handling:** Keep out of reach of children. Do not swallow. Avoid contact with eyes, skin, and clothing. Avoid breathing vapor or mist. Avoid prolonged or repeated contact with skin. Wash thoroughly after handling. Keep container closed. Use with adequate ventilation. See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.

**Conditions for safe storage:** Store in a dry place. Store in original container. Keep container tightly closed when not in use. Do not store near food, foodstuffs, drugs or potable water supplies.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

Exposure limits are listed below, if they exist.

Component	Regulation	Type of listing	Value/Notation
Flumetsulam	Manufacturer's IHG	TWA	3 mg/m <sup>3</sup>
Propylene glycol	US WEEL	TWA	10 mg/m <sup>3</sup>
Naphthalene	Manufacturer's IHG	TWA	10 ppm
	Manufacturer's IHG	TWA	Absorbed via skin
	Manufacturer's IHG	STEL	15 ppm
	Manufacturer's IHG	STEL	Absorbed via skin
	ACGIH	TWA	10 ppm
	ACGIH	TWA	Absorbed via skin
	OSHA Z-1	TWA	50 mg/m <sup>3</sup> 10 ppm

RECOMMENDATIONS IN THIS SECTION ARE FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

### Exposure controls

**Engineering controls:** Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

### Individual protection measures

**Eye/face protection:** Use chemical goggles.

#### Skin protection

**Hand protection:** Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Butyl rubber. Natural rubber ("latex"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Polyvinyl chloride ("PVC" or "vinyl"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

**Other protection:** Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.

**Respiratory protection:** Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator.

The following should be effective types of air-purifying respirators: Organic vapor cartridge with a particulate pre-filter.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

<b>Appearance</b>	
<b>Physical state</b>	Liquid.
<b>Color</b>	Tan
<b>Odor</b>	Mild
<b>Odor Threshold</b>	no data available
<b>pH</b>	4.31 <i>pH Electrode</i>
<b>Melting point/range</b>	Not applicable
<b>Freezing point</b>	No test data available
<b>Boiling point (760 mmHg)</b>	No test data available
<b>Flash point</b>	<b>closed cup</b> >100 °C ( 212 °F) <i>Pensky-Martens Closed Cup ASTM D 93</i>
<b>Evaporation Rate (Butyl Acetate = 1)</b>	no data available
<b>Flammability (solid, gas)</b>	no data available
<b>Lower explosion limit</b>	No test data available
<b>Upper explosion limit</b>	No test data available
<b>Vapor Pressure</b>	No test data available
<b>Relative Vapor Density (air = 1)</b>	No test data available
<b>Relative Density (water = 1)</b>	No test data available
<b>Water solubility</b>	No test data available
<b>Partition coefficient: n-octanol/water</b>	no data available
<b>Auto-ignition temperature</b>	No test data available
<b>Decomposition temperature</b>	No test data available
<b>Kinematic Viscosity</b>	no data available
<b>Explosive properties</b>	No
<b>Oxidizing properties</b>	No significant increase (>5C) in temperature.
<b>Liquid Density</b>	1.0881 g/cm <sup>3</sup> <i>Digital density meter</i>
<b>Molecular weight</b>	no data available

NOTE: The physical data presented above are typical values and should not be construed as a specification.

---

## 10. STABILITY AND REACTIVITY

---

**Reactivity:** no data available

**Chemical stability:** Thermally stable at recommended temperatures and pressures.

**Possibility of hazardous reactions:** Polymerization will not occur.

**Conditions to avoid:** Exposure to elevated temperatures can cause product to decompose.

**Incompatible materials:** Strong oxidizers.

**Hazardous decomposition products:** Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Carbon monoxide. Carbon dioxide. Hydrogen chloride. Nitrogen oxides.

---

## **11. TOXICOLOGICAL INFORMATION**

---

*Toxicological information appears in this section when such data is available.*

### **Acute toxicity**

#### **Acute oral toxicity**

Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.

For similar material(s):

LD50, Rat, female, > 2,000 mg/kg No deaths occurred at this concentration.

#### **Acute dermal toxicity**

Prolonged skin contact is unlikely to result in absorption of harmful amounts.

For similar material(s):

LD50, Rat, male and female, > 2,000 mg/kg No deaths occurred at this concentration.

#### **Acute inhalation toxicity**

No adverse effects are anticipated from single exposure to mist. Based on the available data, respiratory irritation was not observed.

For similar material(s):

LC50, Rat, male and female, 4 Hour, dust/mist, > 5.6 mg/l No deaths occurred at this concentration.

### **Skin corrosion/irritation**

Brief contact may cause slight skin irritation with local redness.

### **Serious eye damage/eye irritation**

May cause moderate eye irritation.

Corneal injury is unlikely.

### **Sensitization**

For similar material(s):

Has demonstrated the potential for contact allergy in mice.

For respiratory sensitization:

No relevant data found.

### **Specific Target Organ Systemic Toxicity (Single Exposure)**

Contains component(s) which are classified as specific target organ toxicant, single exposure, category 3.

### **Specific Target Organ Systemic Toxicity (Repeated Exposure)**

For the active ingredient(s):

In animals, effects have been reported on the following organs:

Blood.

Central nervous system.

Kidney.

Liver.

Testes.

For the minor component(s):

In animals, effects have been reported on the following organs:

Kidney.

Liver.

Lung.

Excessive exposure to solvent(s) may cause respiratory irritation and central nervous system depression.

### **Carcinogenicity**

For the active ingredient(s): Acetochlor. Has caused cancer in laboratory animals. Tumors were observed only at levels which produced significant toxicity, thus exceeding the maximum tolerated dose.

For the active ingredient(s): Flumetsulam. For similar active ingredient(s). Clopyralid. Did not cause cancer in laboratory animals.

For the minor component(s): Has caused cancer in laboratory animals. However, the relevance of this to humans is unknown.

Contains naphthalene which has caused cancer in some laboratory animals. In humans, there is limited evidence of cancer in workers involved in naphthalene production. Limited oral studies in rats were negative.

### **Teratogenicity**

For similar active ingredient(s). Clopyralid caused birth defects in test animals, but only at greatly exaggerated doses that were severely toxic to the mothers. No birth defects were observed in animals given clopyralid at doses several times greater than those expected during normal exposure. For the active ingredient(s): Acetochlor. For the minor component(s): Has been toxic to the fetus in laboratory animals at doses toxic to the mother. Did not cause birth defects in laboratory animals.

For the active ingredient(s): Flumetsulam. Did not cause birth defects or other effects in the fetus even at doses which caused toxic effects in the mother.

### **Reproductive toxicity**

For the active ingredient(s): Acetochlor. In laboratory animal studies, effects on reproduction have been seen only at doses that produced significant toxicity to the parent animals.

For the active ingredient(s): Flumetsulam. For similar active ingredient(s). Clopyralid. In animal studies, did not interfere with reproduction.

### **Mutagenicity**

For similar material(s): In vitro genetic toxicity studies were negative. Animal genetic toxicity studies were negative.

### **Aspiration Hazard**

Based on physical properties, not likely to be an aspiration hazard.



<b>Carcinogenicity Component</b>	<b>List</b>	<b>Classification</b>
<b>Naphthalene</b>	IARC	Group 2B: Possibly carcinogenic to humans
	US NTP	Reasonably anticipated to be a human carcinogen
	ACGIH	A3: Confirmed animal carcinogen with unknown relevance to humans.

---

## 12. ECOLOGICAL INFORMATION

---

*Ecotoxicological information appears in this section when such data is available.*

### Toxicity

#### Acetochlor

##### **Acute toxicity to fish**

Material is very highly toxic to aquatic organisms on an acute basis (LC50/EC50 <0.1 mg/L in the most sensitive species).

Material is highly toxic to fish on an acute basis (LC50 between 0.1 and 1.0 mg/L).

LC50, Oncorhynchus mykiss (rainbow trout), 96 Hour, 0.36 mg/l, OECD Test Guideline 203 or Equivalent

##### **Acute toxicity to aquatic invertebrates**

EC50, Daphnia magna (Water flea), 48 Hour, 8.6 mg/l, OECD Test Guideline 202 or Equivalent

EC50, eastern oyster (Crassostrea virginica), flow-through test, 96 Hour, 4.2 mg/l, OECD Test Guideline 202 or Equivalent

##### **Acute toxicity to algae/aquatic plants**

EyC50, Pseudokirchneriella subcapitata (green algae), 96 Hour, Growth inhibition (cell density reduction), 0.00027 mg/l, OECD Test Guideline 201 or Equivalent

EyC50, Lemna minor (duckweed), 7 d, Growth inhibition (cell density reduction), 0.0027 mg/l, OECD 221.

##### **Toxicity to bacteria**

EC50, activated sludge, 3 Hour, > 1,000 mg/l

##### **Chronic toxicity to fish**

NOEC, Oncorhynchus mykiss (rainbow trout), 0.13 mg/l

##### **Chronic toxicity to aquatic invertebrates**

NOEC, Daphnia magna (Water flea), 21 d, 0.0221 mg/l

##### **Toxicity to Above Ground Organisms**

Material is slightly toxic to birds on an acute basis (LD50 between 501 and 2000 mg/kg).

Material is practically non-toxic to birds on a dietary basis (LC50 > 5000 ppm).

oral LD50, Colinus virginianus (Bobwhite quail), 928mg/kg bodyweight.

dietary LC50, Colinus virginianus (Bobwhite quail), 5 d, > 5620mg/kg diet.

dietary LC50, Anas platyrhynchos (Mallard duck), 5 d, > 5620mg/kg diet.

oral LD50, Apis mellifera (bees), 48 Hour, > 100micrograms/bee

contact LD50, Apis mellifera (bees), 48 Hour, > 200micrograms/bee

**Toxicity to soil-dwelling organisms**

LC50, Eisenia fetida (earthworms), 14 d, 105.5 mg/kg

**Clopyralid monoethanolamine salt**

**Acute toxicity to fish**

For similar active ingredient(s).

Clopyralid.

LC50, Oncorhynchus mykiss (rainbow trout), static test, 96 Hour, > 99.9 mg/l, OECD Test Guideline 203 or Equivalent

**Acute toxicity to aquatic invertebrates**

For similar active ingredient(s).

Clopyralid.

EC50, Daphnia magna (Water flea), static test, 48 Hour, > 99.0 mg/l, OECD Test Guideline 202 or Equivalent

**Toxicity to Above Ground Organisms**

For similar active ingredient(s).

Clopyralid.

Material is slightly toxic to birds on an acute basis (LD50 between 501 and 2000 mg/kg).

Material is practically non-toxic to birds on a dietary basis (LC50 > 5000 ppm).

For similar active ingredient(s).

Clopyralid.

oral LD50, Anas platyrhynchos (Mallard duck), 14 d, 1465 - 2000mg/kg bodyweight.

For similar active ingredient(s).

Clopyralid.

dietary LC50, Colinus virginianus (Bobwhite quail), 8 d, > 5000mg/kg diet.

For similar active ingredient(s).

Clopyralid.

contact LD50, Apis mellifera (bees), 48 d, > 100micrograms/bee

For similar active ingredient(s).

Clopyralid.

oral LD50, Apis mellifera (bees), 48 d, > 98.1micrograms/bee

**Flumetsulam**

**Acute toxicity to fish**

Material is very highly toxic to aquatic organisms on an acute basis (LC50/EC50 <0.1 mg/L in the most sensitive species).

LC50, Oncorhynchus mykiss (rainbow trout), static test, 96 Hour, > 300 mg/l

**Acute toxicity to aquatic invertebrates**

LC50, Daphnia magna (Water flea), static test, 48 Hour, > 300 mg/l

**Acute toxicity to algae/aquatic plants**

EbC50, Pseudokirchneriella subcapitata (green algae), 120 Hour, Biomass, 0.00493 mg/l

EC50, Lemna gibba, static test, 14 d, Biomass, 0.0051 mg/l

**Chronic toxicity to fish**

NOEC, Pimephales promelas (fathead minnow), flow-through test, 32 d, 197 mg/l

**Chronic toxicity to aquatic invertebrates**

NOEC, water flea Daphnia magna, static test, 21 d, 200 mg/l

**Toxicity to Above Ground Organisms**

Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg).  
Material is practically non-toxic to birds on a dietary basis (LC50 > 5000 ppm).  
oral LD50, *Colinus virginianus* (Bobwhite quail), mortality, > 2250mg/kg bodyweight.  
dietary LC50, *Colinus virginianus* (Bobwhite quail), mortality, > 5620mg/kg diet.  
contact LD50, *Apis mellifera* (bees), 48 Hour, mortality, > 100µg/bee

**Toxicity to soil-dwelling organisms**

LC50, *Eisenia fetida* (earthworms), 14 d, mortality, > 950 mg/kg

**Furilazole****Acute toxicity to fish**

Material is moderately toxic to aquatic organisms on an acute basis (LC50/EC50 between 1 and 10 mg/L in the most sensitive species tested).

LC50, *Lepomis macrochirus* (Bluegill sunfish), static test, 96 Hour, 4.6 mg/l, OECD Test Guideline 203

LC50, *Oncorhynchus mykiss* (rainbow trout), 96 Hour, 6.2 mg/l

**Acute toxicity to aquatic invertebrates**

EC50, *Daphnia magna* (Water flea), static test, 48 Hour, 26 mg/l

**Acute toxicity to algae/aquatic plants**

ErC50, *Scenedesmus capricornutum* (fresh water algae), static test, 72 Hour, Growth rate inhibition, 85.2 mg/l, OECD Test Guideline 201

NOEC, *Scenedesmus capricornutum* (fresh water algae), static test, 72 Hour, Growth rate inhibition, 12.5 mg/l, OECD Test Guideline 201

**Toxicity to Above Ground Organisms**

Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg).

Material is practically non-toxic to birds on a dietary basis (LC50 > 5000 ppm).

LD50, *Colinus virginianus* (Bobwhite quail), > 2,000 mg/kg

dietary LC50, *Colinus virginianus* (Bobwhite quail), 5 d, > 5,620 ppm

dietary LC50, *Anas platyrhynchos* (Mallard duck), 5 d, > 5,620 ppm

**Propylene glycol****Acute toxicity to fish**

Material is practically non-toxic to aquatic organisms on an acute basis (LC50/EC50/EL50/LL50 >100 mg/L in the most sensitive species tested).

LC50, *Oncorhynchus mykiss* (rainbow trout), static test, 96 Hour, 40,613 mg/l, OECD Test Guideline 203

**Acute toxicity to aquatic invertebrates**

LC50, *Ceriodaphnia dubia* (water flea), static test, 48 Hour, 18,340 mg/l, OECD Test Guideline 202

**Acute toxicity to algae/aquatic plants**

ErC50, *Pseudokirchneriella subcapitata* (green algae), 96 Hour, Growth rate inhibition, 19,000 mg/l, OECD Test Guideline 201

**Toxicity to bacteria**

NOEC, *Pseudomonas putida*, 18 Hour, > 20,000 mg/l

**Chronic toxicity to aquatic invertebrates**

NOEC, Ceriodaphnia dubia (water flea), semi-static test, 7 d, number of offspring, 13,020 mg/l

**Solvent naphtha (petroleum), heavy aromatic**

**Acute toxicity to fish**

Material is moderately toxic to aquatic organisms on an acute basis (LC50/EC50 between 1 and 10 mg/L in the most sensitive species tested).

LC50, Oncorhynchus mykiss (rainbow trout), static test, 96 Hour, 2 - 5 mg/l, OECD Test Guideline 203 or Equivalent

**Acute toxicity to aquatic invertebrates**

EL50, Daphnia magna (Water flea), static test, 48 Hour, 3 - 10 mg/l, OECD Test Guideline 202 or Equivalent

**Acute toxicity to algae/aquatic plants**

EL50, Pseudokirchneriella subcapitata (green algae), static test, 72 Hour, 11 mg/l, OECD Test Guideline 201 or Equivalent

**Toxicity to Above Ground Organisms**

Based on information for a similar material:

dietary LC50, Colinus virginianus (Bobwhite quail), 5 d, > 6,500 ppm

Based on information for a similar material:

oral LD50, Colinus virginianus (Bobwhite quail), > 2,250 mg/kg

**Naphthalene**

**Acute toxicity to fish**

Material is highly toxic to aquatic organisms on an acute basis (LC50/EC50 between 0.1 and 1 mg/L in the most sensitive species tested).

LC50, Oncorhynchus mykiss (rainbow trout), 96 Hour, 0.11 mg/l

**Acute toxicity to aquatic invertebrates**

EC50, Daphnia magna (Water flea), static test, 48 Hour, 1.6 - 24.1 mg/l

**Chronic toxicity to fish**

NOEC, Other, flow-through, 40 d, mortality, 0.37 mg/l

**Balance**

**Acute toxicity to fish**

No relevant data found.

**Persistence and degradability**

**Acetochlor**

**Biodegradability:** No relevant information found.

**Stability in Water (1/2-life)**

Hydrolysis, pH 5, Stable

Hydrolysis, pH 7, Stable

Hydrolysis, pH 9, Stable

**Photodegradation**

**Atmospheric half-life:** 2.3 Hour

**Method:** Estimated.

**Clopyralid monoethanolamine salt**

**Biodegradability:** For similar active ingredient(s). Clopyralid. Material is expected to biodegrade very slowly (in the environment). Fails to pass OECD/EEC tests for ready biodegradability.

#### Flumetsulam

**Biodegradability:** Material is not readily biodegradable according to OECD/EEC guidelines.

10-day Window: Fail

**Biodegradation:** 3 %

**Exposure time:** 28 d

**Method:** OECD Test Guideline 301B or Equivalent

**Theoretical Oxygen Demand:** 1.03 mg/mg

**Chemical Oxygen Demand:** 1.12 mg/mg

#### **Biological oxygen demand (BOD)**

Incubation Time	BOD
	0.005 mg/mg

#### **Stability in Water (1/2-life)**

Hydrolysis, > 365 d, pH 4 - 9, Half-life Temperature 50 °C, Stable

#### Furilazole

**Biodegradability:** Material is expected to biodegrade very slowly (in the environment). Fails to pass OECD/EEC tests for ready biodegradability.

10-day Window: Fail

**Biodegradation:** 1 %

**Exposure time:** 28 d

**Method:** OECD Test Guideline 301F or Equivalent

#### Propylene glycol

**Biodegradability:** Material is readily biodegradable. Passes OECD test(s) for ready biodegradability. Biodegradation may occur under anaerobic conditions (in the absence of oxygen).

10-day Window: Pass

**Biodegradation:** 81 %

**Exposure time:** 28 d

**Method:** OECD Test Guideline 301F or Equivalent

10-day Window: Not applicable

**Biodegradation:** 96 %

**Exposure time:** 64 d

**Method:** OECD Test Guideline 306 or Equivalent

**Theoretical Oxygen Demand:** 1.68 mg/mg

**Chemical Oxygen Demand:** 1.53 mg/mg

#### **Biological oxygen demand (BOD)**

Incubation Time	BOD
5 d	69.000 %

10 d	70.000 %
20 d	86.000 %

**Photodegradation****Atmospheric half-life:** 10 Hour**Method:** Estimated.**Solvent naphtha (petroleum), heavy aromatic****Biodegradability:** Based on stringent OECD test guidelines, this material cannot be considered as readily biodegradable; however, these results do not necessarily mean that the material is not biodegradable under environmental conditions.

10-day Window: Fail

**Biodegradation:** 39 %**Exposure time:** 28 d**Method:** OECD Test Guideline 301D or Equivalent**Naphthalene****Biodegradability:** Biodegradation under aerobic static laboratory conditions is high (BOD20 or BOD28/ThOD > 40%).**Theoretical Oxygen Demand:** 3.00 mg/mg**Biological oxygen demand (BOD)**

Incubation Time	BOD
5 d	57.000 %
10 d	71.000 %
20 d	71.000 %

**Photodegradation****Test Type:** Half-life (indirect photolysis)**Sensitizer:** OH radicals**Atmospheric half-life:** 5.9 Hour**Method:** Estimated.**Balance****Biodegradability:** No relevant data found.**Bioaccumulative potential****Acetochlor****Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3).**Partition coefficient: n-octanol/water(log Pow):** 4.14 Measured**Bioconcentration factor (BCF):** 20**Clopyralid monoethanolamine salt****Bioaccumulation:** For similar active ingredient(s). Clopyralid. Bioconcentration potential is low (BCF < 100 or Log Pow < 3).**Flumetsulam**

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3).  
**Partition coefficient: n-octanol/water(log Pow):** -1.21

**Furilazole**

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3).  
**Partition coefficient: n-octanol/water(log Pow):** 2.12 Estimated.

**Propylene glycol**

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3).  
**Partition coefficient: n-octanol/water(log Pow):** -1.07 Measured  
**Bioconcentration factor (BCF):** 0.09 Estimated.

**Solvent naphtha (petroleum), heavy aromatic**

**Bioaccumulation:** Bioconcentration potential is high (BCF > 3000 or Log Pow between 5 and 7).  
**Partition coefficient: n-octanol/water(log Pow):** 2.9 - 6.1 Measured

**Naphthalene**

**Bioaccumulation:** Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).  
**Partition coefficient: n-octanol/water(log Pow):** 3.3 Measured  
**Bioconcentration factor (BCF):** 40 - 300 Fish. 28 d Measured

**Balance**

**Bioaccumulation:** No relevant data found.

**Mobility in soil**

**Acetochlor**

Potential for mobility in soil is medium (Koc between 150 and 500).  
**Partition coefficient(Koc):** 156 Estimated.

**Clopyralid monoethanolamine salt**

For similar active ingredient(s).  
Clopyralid.  
Potential for mobility in soil is very high (Koc between 0 and 50).

**Flumetsulam**

Potential for mobility in soil is very high (Koc between 0 and 50).  
**Partition coefficient(Koc):** 15

**Furilazole**

Potential for mobility in soil is high (Koc between 50 and 150).  
**Partition coefficient(Koc):** 56 - 341

**Propylene glycol**

Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process.  
Potential for mobility in soil is very high (Koc between 0 and 50).  
**Partition coefficient(Koc):** < 1 Estimated.

**Solvent naphtha (petroleum), heavy aromatic**

No relevant data found.

**Naphthalene**

Potential for mobility in soil is medium (Koc between 150 and 500).

**Partition coefficient(Koc):** 240 - 1300 Measured

**Balance**

No relevant data found.

---



---

### 13. DISPOSAL CONSIDERATIONS

---

**Disposal methods:** If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

---



---

### 14. TRANSPORT INFORMATION

---

**DOT**

Not regulated for transport

**Classification for SEA transport (IMO-IMDG):**

<b>Proper shipping name</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Acetochlor, Flumetsulam)
<b>UN number</b>	UN 3082
<b>Class</b>	9
<b>Packing group</b>	III
<b>Marine pollutant</b>	Acetochlor, Flumetsulam
<b>Transport in bulk according to Annex I or II of MARPOL 73/78 and the IBC or IGC Code</b>	Consult IMO regulations before transporting ocean bulk

**Classification for AIR transport (IATA/ICAO):**

<b>Proper shipping name</b>	Environmentally hazardous substance, liquid, n.o.s.(Acetochlor, Flumetsulam)
<b>UN number</b>	UN 3082
<b>Class</b>	9
<b>Packing group</b>	III

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service



representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

---

---

## 15. REGULATORY INFORMATION

---

### OSHA Hazard Communication Standard

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312

Acute Health Hazard  
Chronic Health Hazard

### Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313

#### Components

Naphthalene

#### CASRN

91-20-3

### California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986)

WARNING: This product contains a chemical(s) known to the State of California to cause cancer.

### Pennsylvania (Worker and Community Right-To-Know Act): Pennsylvania Hazardous Substances List and/or Pennsylvania Environmental Hazardous Substance List:

The following product components are cited in the Pennsylvania Hazardous Substance List and/or the Pennsylvania Environmental Substance List, and are present at levels which require reporting.

#### Components

Propylene glycol

Solvent naphtha (petroleum), heavy aromatic

#### CASRN

57-55-6

64742-94-5

### Pennsylvania (Worker and Community Right-To-Know Act): Pennsylvania Special Hazardous Substances List:

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

### United States TSCA Inventory (TSCA)

This product contains chemical substance(s) exempt from U.S. EPA TSCA Inventory requirements. It is regulated as a pesticide subject to Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) requirements.

### Federal Insecticide, Fungicide and Rodenticide Act

EPA Registration Number: 62719-679

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

WARNING

Causes substantial but temporary eye injury  
 Harmful if swallowed.  
 Harmful if absorbed through skin  
 Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

---

**16. OTHER INFORMATION**

---

**Hazard Rating System**

**NFPA**

Health	Fire	Reactivity
1	0	0

**Legend**

Absorbed via skin	Absorbed via skin
ACGIH	USA. ACGIH Threshold Limit Values (TLV)
Manufacturer's IHG	Manufacturer's Industrial Hygiene Guideline
OSHA Z-1	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
STEL	Short term exposure limit
TWA	Time weighted average
US WEEL	USA. Workplace Environmental Exposure Levels (WEEL)

**Information Source and References**

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, MONSANTO Company or any of its subsidiaries makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for the purposes prior to use. In no event will MONSANTO Company or any of its subsidiaries be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR TO THE PRODUCT TO WHICH INFORMATION REFERS.

This Safety Data Sheet (SDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE LABELING (attached to and accompanying the product container). This SDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course.